

Applicants

```
<php> $ad=2; $loc=8; $time=20;
```

```
echo "AD = $ad \n Location = $loc \n Time = $time \n\n<br><br>"; if ($ad == 1)
```

```
{
    $cost = 1.5 * $time;
    if ($time == 30)
        {
            $ads = 2;
        }
    $ads = 1;
}
```

```
if ($ad == 2)
```

```
{
    $cost = 5 * $time;
    if ($time == 10)
        {
            $ads = 2;
        }
    $ads = 3;
}
```

```
if ($ad == 4)
```

```
{
    $cost = 25 * $time;
    $ads = $ad + ($time/10-1);
}
```

```
$d6 = rand (1,6); $apps = $d6 * $ads * $loc; echo "<b>Number of Applicants ($apps)</b> =  
Recruiting score for Advertising ($ads) x Location Score ($loc) x 1d6 ($d6)."; echo "<br>\n
```

```
Recruitment cost $cost credits<br>";
```

```
echo "<h2>Applicant Details</h2> \n
```

```
\n
<table width = 85% cellpadding = 1>\n
<tr> \n
    <td>App \n
    <td>Firstname \n
    <td>Surname \n
    <td>Gender \n
    <td>Genetics \n
    <td>References \n
```

```

        <td>CR Check \n
        <td>Experience \n
        <td>Interview? \n
        <td>Hire? \n
    </tr>";

```

```
$appl=1; do
```

```

{
    $CrimCheck=rand(0,9);
    $Experience=rand(0,9);
    $RefCheck=rand(0,9);
    $Gender=rand(0,9);
    $BirthGender=$Gender;
    $GenderChanged="No";
    if($Gender==0)
    {
        $GenderChanged="Yes";
        $BirthGender=rand(1,8);
        $Gender=rand(1,8);
    }
    if($Gender==9)
    {
        $BirthGender=rand(1,8);
    }
    if($Gender<5)
    { $sex="M"; }
    elseif($Gender<9)
    { $sex="F"; }
    elseif($BirthGender<5)
    { $sex="M"; }
    else
    { $sex="F"; }
    $Genetics="Natural";
    $gen=rand(1,6);
    if($Experience>8)
    { $Genetics="Perfect"; }
    elseif($gen>4)
    { $Genetics="Perfect"; }

```

connect to MySQL server and select the IFU database include ("</var/www/html/IFU/sqlconnect.php>"); include ("</var/www/html/IFU/sqlconnect2.php>"); `$db = mysql_select_db('full-moon_info_-_IFU',$connection)`; randomly select a group of names from the database `$sql = 'SELECT * FROM `Names` ORDER BY Rand() LIMIT 10'`; `$names = mysql_query($sql)`;

step through the selected list of names to get a surname and forename from separate rows while (`$row=mysql_fetch_array($names,MYSQL_ASSOC)`) { `extract($row)`; `$LastName = $Surname`; `next($row)`}; then randomly take a firstname of the correct gender from the same list

```

if ($Gender==$sex)
{

```

```
$Forename = $FirstName;
next($row);
extract($row);
end($row);
}
}
```

echo "

```
<tr> \n
  <td>$appl \n
  <td>$seed2 $FirstName \n
  <td>$seed1 $Surname \n
  <td>$sex \n
  <td>$Genetics \n
  <td>$RefCheck \n
  <td>$CrimCheck \n
  <td>$Experience \n
  <td>Interview? \n
  <td>Hire? \n
</tr>";
```

```
$appl++; } while ($appl=$apps); echo "</table>"; </php>
```

From:

<https://full-moon.info/> - **Full Moon Games**

Permanent link:

<https://full-moon.info/doku.php/universe/ifu/applicants.php>

Last update: **4 Jan 2015 12:47**

